

Other



Aastra 560M Expansion module



- Scalable to 3 expansion modules per phone
- Power direct from phone
- No external power adapter required
- Programmable features
- Line, speed-dial, BLF, BLA, SCA, DND
- 60-keys with LED (3 pages of 20)
- Self-labeling LCD backlit display
- Supported on 57i, 57i CT

Cyberdata Analog Ceiling Speaker



- This V2 Analog Speaker is an option for the CyberData V2 Standard speaker that supports an amplified audio output for a second analog speaker.
- When connecting this Analog speaker to the CyberData V2 IP speaker, the total Speaker wattage is the same. However, by connecting this analog speaker, additional coverage can be realized.
- This Analog speaker can be mounted with the same mounting hardware option available for the IP versions of CyberData speakers.
- Tested and compatible with snom PA1

CyberData Ceiling Mount Bracket



- Easy Tile Installation
- Mounting kit Included
- Electrogalvanized Steel Construction
- RoHS Compliant
- Part Number:0110991
- Two Years Warranty

CyberData Wall Mount Adapter



- Easy wall or ceiling installation
- Mounting kit included
- Electrogalvanized steel construction
- RoHS compliant
- Keyhold for easy installation
- Part number: 010882
- Top and bottom cable channels
- Two years warranty

Edgecore Switch ES3528M-PoE



- 24 x 10/100Base-T + 2 Gigabit Ports + 2 Gigabit Combo (RJ-45/SFP)
- PoE support on all ports
- IEEE 802.3af compliant
- Up to 7.5W for each port (24 ports)
- Total power for PoE support up to 180W
- High performance network security and management capability
- Advanced QoS features for triple play

- Enhanced scalability and availability features

Edgecore Switch ES4308-PoE



- 7 x 1000Base-T + 1 x Gigabit Combo (RJ-45/SFP) ports
- Multiple 10/100/1000 (RJ-45/SFP) uplink
- Fan-less Design
- Green Saving Features to save up to 59.3% power consumption
- Easy Manageable via web interface
- Smart Quality of Service
- Smart security features
- Ready for IEEE 802.3af of PoE to provide power and data

Edgecore VPN router VR-50



- 10/100 4-port Single-WAN VPN Router
- 1 WAN port, 1 dedicated DMZ port and 4 Ethernet 10/100 LAN ports
- supports small and medium size enterprise business network with a high security VPN
- combines firewall, VPN support, and NAT functionality, to provide consistent network infrastructure security
- FLASH - 8MB, SDRAM - 32MB

Far South Networks Bundle



Purchase a Far South Networks IP PBX (Either the Com.X1 or Com.X2) and receive massive discounts on IP Phones.

- special only available to Even Flow resellers
- available on the Yealink T20P and snom 300 IP phones

- only available while stocks last
- Please contact us to find out more

IPEVO PoV Webcam



The pen-shape body of the PoV webcam is designed to provide maximum comfort and control, whether you want the precision required in close-up shots, or the convenience and freedom to find the angle and distance for the image you need.

- USB Compatible VGA webcam
- Universal monitor stand
- Built in Microphone
- Manually Focus: 4cm ~infinity
- Multiple digital zoom
- Compatible with most of Instant Messaging software including Skype, Google Talk, Windows Live Messenger, Yahoo!Messenger, AOL, etc

Polycom Power Supply



weCDAS

RTX Wireless Phone Jack



- Creates a wireless phone extension for user to connect an analogue phone device such as a phone, answering machines, fax, modem or conference phone.
- Eliminates long distance wires
- Secure private voice data communication by encryption
- No tools required for installation

Snom Dect Repeater



- Works in accordance with the DECT standard
- Doubles the range of the snom m3 by two internal antennas
- Registering up to six snom DECT Repeaters on one base station
- plug-and-play installation

Snom Expansion Module (320/360/370)



- Add 42 additional programmable keys to Snom 320, 360 and 370
- Cascades up to **3 (three)** modules to your phone providing **up to 126 additional keys + LEDs** making it a total of 138 keys ($3 \times 42 + 1 \times 12$)
- Each key can be programmed for line, destination, intercom, park orbit
- LED's associated with each key

Snom Klarvoice Handset



- The wideband handset snom klaVOICE can be adapted to all snom VOIP phones
- snom klarVOICE allows to capture more than double of the spectrum of voice frequencies that by standard phones
- The audio quality can be compared to FM radio.
- Dramatically improved natural sound quality especially for long distance calls

Snom PA1



- Public announcement system for office floors, reception areas and waiting rooms
- Announcements in airports, train and bus stations, and waiting lounges
- Monitoring of security sensitive environments like entrances or reception areas
- Voltage feed via network (PoE): IEEE 802.3af, class 3
- Ethernet: 2 x IEEE 802.3, 10/100 Mbps switch
- SIP communication + Multicast
- Central configuration and maintenance
- Web interface menu
- Remote volume configuration
- 4 Watt power amplifier, class D (loudspeaker not included)
- 2 LED status indicators
- For maintenance purposes: two 3.5mm jacks for headphone connection
- 4 freely programmable output pins, configuration via web interface
- Robust housing for wall mount

Snom Vision Black



- 16 programmable keys
- High resolution TFT touch screen color display
- 4.3" (10,9cm), 272 x 480 pixels, 24 bits color depth
- Ethernet 10/100 Mbps
- USB: 2x type A, Hi/Full/Low Speed host interface
- USB: 1x type B
- Built in Web server

Soundpoint Polycom Power Supply

N/A

